



CEVA SANTE ANIMALE  
10 avenue de la Ballastière  
33500 LIBOURNE - FRANCE  
Tél. +33 (0)5 57 55 40 40

## CERTIFICATE OF CONFORMITY

We, CevaSantéAnimale, certify that the speciality :

**D98410E DOUXO S3 PYO SHP 200 ML FR**

**Batch No. :252B**

**Manufacturing date :04/01/2022**

**Expiry date : 04/01/2024**

- ❖ Is conform to the registrated formula.
- ❖ This product is manufactured under Quality Assurance control and the registrations carried out during the manufacturing process assure a perfect tracing.

Loudéac, the 24/01 /2022

☒ Audrey Morel  
Qualified Person

☐ Isabelle Colinet  
Qualified Person

☐ Adeline Roix  
Qualified Person

☐ Anne-Laure TRAISNEL  
Qualified Person





CEVA SANTE ANIMALE  
10 avenue de la Ballastière  
33500 LIBOURNE - FRANCE  
Tél. +33 (0)5 57 55 40 40

## CERTIFICATE OF CONFORMITY

We, CevaSantéAnimale, certify that the speciality :

**D98410E DOUXO S3 PYO SHP 200 ML FR**

**Batch No. : 254D**


**Manufacturing date : 27/01/2022**

**Expiry date : 27/01/2024**

- ❖ Is conform to the registered formula.
- ❖ This product is manufactured under Quality Assurance control and the registrations carried out during the manufacturing process assure a perfect tracing.

Loudéac, the 22/02/2022

☐ Audrey Morel  
Qualified Person

☒ Isabelle Colinet   
Qualified Person

☐ Adeline Roix  
Qualified Person

☐ Anne-Laure TRAISNEL  
Qualified Person

