

SIA "Farma PET GIGI" «Farma PET GIGI» Ltd.

Registration No.LV40103639031

Certificate of analyses № DR-7/25

da-ba Relax Plus

Batch 8615

Quantity of packages: 120 N90

Manufacturing date

01.2025

Expiry date 03.2027

Parameter	Specification	Result
Description	Tablets of a flat-cylindrical shape with bevelled edges, greyish-beige colour with inclusions and a slight specific odour	Tablets of a flat-cylindrical shape with bevelled edges, greyish-beige colour with inclusions and a slight specific odour
Average mass of tablet	$1600 \text{ mg} \pm 10 \%$ (1440 mg - 1760 mg)	1610 mg
Disintegration (medium: water with disks)	Not more than 15 min	14 min
Microbiological purity - TAMC - TYMC - Escherichia coli - Salmonella	Not more than 10 ³ CFU/g Not more than 10 ² CFU/g Not allowed in 1 g Not allowed in 25 g	Conform Less than 10 CFU/g Not found Not found
Quantity in one package	Not less than 90 tablets	90 tablets

Conclusion:

da-ba Relax Plus batch 8615 conforms to quality specification requirements.

Head of Quality Control 14.04.2025.

L.Strikmane

LATVIJA



SIA "Farma PET GIGI" «Farma PET GIGI» Ltd.

Registration No.LV40103639031

Certificate of analyses № DR-6/25

da-ba Relax Plus

Batch 8615

Quantity of packages: 720 N30

Manufacturing date

01.2025

Expiry date 03.2027

Parameter	Specification	Result
Description	Tablets of a flat-cylindrical shape with bevelled edges, greyish-beige colour with inclusions and a slight specific odour	Tablets of a flat-cylindrical shape with bevelled edges, greyish-beige colour with inclusions and a slight specific odour
Average mass of tablet	$1600 \text{ mg} \pm 10 \%$ (1440 mg - 1760 mg)	1610 mg
Disintegration (medium: water with disks)	Not more than 15 min	14 min
Microbiological purity - TAMC - TYMC - Escherichia coli - Salmonella	Not more than 10 ³ CFU/g Not more than 10 ² CFU/g Not allowed in 1 g Not allowed in 25 g	Conform Less than 10 CFU/g Not found Not found
Quantity in one package	Not less than 30 tablets	30 tablets

Conclusion:

da-ba Relax Plus batch 8615 conforms to quality specification requirements.

Head of Quality Control 14.04.2025.

L.Strikmane