



ACEL pharma S.r.l.
Via A. Manzoni, 2 - 10092 Beinasco (TO)
LABORATORIO CONTROLLO QUALITA'

Certificate of Analysis n° 2501027

Neoxide - 100 ml

Code:	PSE6388	Quantity:	547 pcs
Batch:	C4708		
Manufacturing date:	31/12/2024	Expiry date:	31/12/2027

Tests	Acceptance criteria	Unit of Measure	Results
Appearance Met.: SPPR118	Clear liquid, dark yellow and characteristic smell of lavender		Conforme
Density Met.: POA004	$\geq 1,040$ $\leq 1,060$	g/ml	1,052
Viscosity Met.: POA025	$\geq 150,0$ $\leq 250,0$	cPs	179,7
Cardbox text suitability Met.:	Conform		V7
Batch No/Exp. date on the card box	BBB - MM/YYYY		C4708-12/2027
Plastic bottle test suitability Met.:	Conform		V4
Batch no / Exp. date on the bottle	BBB - MM/YY		C4708-12/2027
Plastic bottle closure suitability	Conform		Conforme
Reference sample collecting	Positive		1 PEZZO
Total microbial count Met.: ISO 21149:2017	≤ 100	cfu/g	<10
Yeasts and molds Met.: ISO 16212:2017	≤ 10	cfu/g	<10
Escherichia coli Met.: ISO 21150:2016	Assente		Assente
Coagulase-positive staphylococci Met.: ISO 22718:2016	conforme alla specifica		Assente
Pseudomonas aeruginosa Met.: ISO 22717:2016	conforme alla specifica		Assente

APPROVED

Martina De Francisci

Approval date:

24/02/2025

Chemical Analyst Senior

ACEL pharma S.r.l.
Via A. Manzoni, 2
10092 - Beinasco (TO)
C.F./P.I. 10358780012